

Women who suffered child abuse have worse menopause symptoms

November 27 2019, by Rebecca Renkas



Hot flushes and night sweats are experienced by more than 70 per cent of menopausal women. Credit: Shutterstock

Hot flushes or night sweats—called vasomotor symptoms or VMS—might be more than just a nuisance for menopausal women.

A recent study in the journal *Menopause* shows that <u>women who have</u> <u>suffered childhood abuse experience more hot flushes while sleeping</u> during menopause than those who haven't.



Previous research has <u>linked childhood abuse to poor mental and physical health in adulthood</u>. This study, however, conducted by Mary Carson and Rebecca Thurston, researchers at the University of Pittsburgh, is one of the first to examine the effects of <u>childhood</u> trauma on the menopause transition.

The results could help inform how patients and health-care providers think about this important, yet poorly understood, area of <u>women</u>'s health.

Hot flushes and night sweats

Menopause is defined as the <u>time in a woman's life when she has gone</u> 12 consecutive months without a period, marking the end of menstruation and fertility.

For most women this is a normal and natural event that happens on average at age 51. Some women may experience menopause earlier by having their ovaries surgically removed, through medical treatments such as chemotherapy, or because of a condition called <u>premature ovarian</u> <u>insufficiency</u>, thought to be caused by genetic or autoimmune factors.

All menopausal women experience a drop in hormones, mainly estrogen and progesterone, caused by reduced ovarian function. This decrease is associated with the development of <u>hot flushes</u> and night sweats, which are experienced by more than 70 percent of menopausal women.

A hot flush (sometimes called a hot flash) is a feeling of intense heat, accompanied by sweating and increased blood flow to the skin. While we do not know exactly what causes a hot flush, we know that it involves an increase in sympathetic nerve activity to the skin and is associated with an increase in brain stem activity.



Higher risk of cardiovascular disease

In the past, researchers used questionnaires to ask women how many hot flushes or nights sweats they were experiencing. However, self-reported data such as this can be influenced by changes in mood or a person's ability to remember.

Newer technology allows researchers to measure VMS directly and objectively by way of sensors attached to a woman's chest. <u>These sensors</u> were used by Carson and Thurston to measure how many hot flushes and sweats women experienced during sleep.

Menopausal women who experience frequent VMS have an overall reduced quality of life. They are more likely to suffer from sleep and mood disturbances which can have negative effects on their lives at home and at work.

Newer research also shows that having frequent VMS is associated with a <u>higher risk of cardiovascular disease</u>.

Impacts of child abuse on adult health

So what do hot flushes in menopause have to do with a history of <u>childhood abuse</u>? The short answer is that we don't know for sure.

We do know that a high percentage of women experience childhood abuse. At least 28 percent of Canadian non-Indigenous women and 49 percent of Indigenous women aged 30 and older experienced physical or sexual abuse before the age of 15, according to a 2015 report from the Canadian Centre for Justice Statistics.

Research led by <u>Tracie Afifi</u>, a child maltreatment researcher at the University of Manitoba, reveals that children who experience any type of



abuse in childhood—including being slapped, kicked or punched, witnessing violence between parents or experiencing sexual abuse—have increased odds of suffering health problems later in life. These problems include arthritis, high blood pressure, cancer and chronic fatigue syndrome.

Afifi's team also found a relationship between the types of abuse experienced and the odds of having a health condition as an adult. They found that a person who reported several different forms of abuse was more likely to have health problems later in life than someone who reported fewer types or no abuse. They also found that the effects of childhood abuse on physical health were slightly stronger for women.

More frequent 'fight-or-flight' hormones

How childhood maltreatment leads to poor physical health in adulthood is not fully understood and probably is caused by many factors.

One theory is that the chronic, high levels of stress and anxiety experienced by children who are abused <u>results in overstimulation of a part of the brain called the hypothalamic-pituitary-adrenal axis (HPAA)</u>, causing the release of "fight-or-flight" hormones more frequently than normal.

Over time, the brain adjusts by increasing the threshold at which this hormone release happens, and this <u>dysregulation of the HPAA</u> is associated with an increased risk of mental and <u>physical health</u> problems, including depression, cardiovascular disease and impaired immune function.

We have yet to uncover how childhood maltreatment can lead to more frequent hot flushes in <u>menopausal women</u>. At this time, Carson says a woman's experiences in childhood can have implications on her health at



midlife and that <u>health</u> practitioners should consider talking to their menopausal patients about childhood maltreatment.

The answers, she says, may help inform treatment decisions for women with bothersome hot flushes, but more research is needed to know for sure.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Women who suffered child abuse have worse menopause symptoms (2019, November 27) retrieved 26 December 2022 from https://medicalxpress.com/news/2019-11-women-child-abuse-worse-menopause.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.